

IT'S NOT A FOOD AND BEVERAGE VEHICLE.



IT'S A Club Car



# CAN A FOOD & BEVERAGE VEHICLE REALLY DO THAT?



Develop a  taste for  
**increased revenue.**

Progressive courses are finding on course sales of food and beverage produce significant revenue. Offer high margin items like cigars and golf balls and, well, applying some retail 101 to the equation makes a lot of ROI sense. Club Car's® food and beverage solutions are designed

to attractively display multiple items and spark impulse buying. All stock rides securely and safely in sturdy compartments aboard a dependable Club Car Turf Utility vehicle. Good service is good business. Cha-ching.

# CAFÉ EXPRESS DELUXE



# CAFÉ EXPRESS

The ultimate merchandising vehicle—scaled to retail a variety of food and beverages, as well as high-margin items like cigars, balls and accessories. When you want to dial up the on course revenue, Café Express Deluxe is the answer.

- Power over hills with a 13 horsepower gasoline engine
- NSF rating and ISO 9001 compliance certification
- Attractive, durable canopy in five standard colors; custom colors available
- High-impact acrylic windshield
- Electric lift for easy maintenance access
- Common-key locks on all doors and bins
- 3.3 cubic feet of consumable ice storage
- 16.5 cubic feet of cold storage space with in-wall foam insulation

## CAFÉ EXPRESS DELUXE ACCESSORIES



Food Warmer



Beverage Container



Air pot



Hot Box



Humidor



Cash Drawer

## CAFÉ EXPRESS ACCESSORIES



Food Warmer



Beverage Container



Air pot



Hot Box



Humidor



5-panel Rearview Mirror

Looking for more revenue and profits in a smartly-designed package? Look to Café Express with its well-laid-out display that encourages impulse buying. Insulated compartments are easy to load and keep drinks cold while all your food stock rides safely and securely.

- Conquer hills fully loaded with an 11.5 horsepower gasoline engine
- Blown-in foam insulation provides superior insulation value and longer ice life
- Reliable 4-wheel, mechanical drum brakes
- Cold storage shelf for temperature sensitive items like sandwiches and candy bars
- Consumable ice bins on both sides of the car
- Locking latches with common-key doors and bins
- High-impact acrylic windshield

## TURF 1 with PRC



A multi-tasking machine that can out-manuever anything else in its class, the Carryall Turf 1 is up to any light-duty job you throw at it. Choose a gas engine or electric with Club Car's® exclusive IQ System™, either way, you have an energetic partner built for the long haul. Add a Portable Refreshment Center to the Turf 1 to make it even more versatile.

- Choice of 351 cc gasoline 11.5 hp engine or Club Car's exclusive IQ System™ 48-volt electric motor
- 800 lb (363.2 kg) Total Vehicle Capacity
- 9.1 ft<sup>3</sup> (0.3 m<sup>3</sup>) Cargo Box carries 300 lb (136.1 kg)
- Radio/Beverage Holder
- Differential Guard
- Heavy Duty Front Bumper
- Battery warning light standard
- Rustproof Aircraft Grade Aluminum Frame, Chassis & Cargo Box
- Self-adjusting, maintenance-free rack & pinion steering for easy handling
- Premium tread tires
- Heavy duty unitized powertrain

## TURF 2 with PRC



When you want maneuverability with a little added muscle, the Carryall Turf 2 is your go to guy. This economical yeoman is available in gas engine or electric with the IQ Plus System™, and can handle a variety of maintenance tasks, shouldering a full 1,200 pounds of vehicle capacity. So when it comes to food and beverages, the Turf 2 with a portable refreshment center can really pack a load.

- Choice of 351 cc gasoline 11.5 hp engine or Club Car's exclusive IQ Plus System™ 48-volt electric motor
- 1,200 lbs (544.8 kg) total vehicle capacity
- 15.3 ft<sup>3</sup> (0.4 m<sup>3</sup>) Cargo Box carries 800 lb (363.2 kg)
- Headlights
- Radio/Beverage Holder
- Differential Guard
- Heavy Duty Front Bumper
- Battery warning light standard
- Rustproof Aircraft Grade Aluminum Frame, Chassis & Cargo Box
- Self-adjusting, maintenance-free rack & pinion steering for easy handling
- Premium tread tires
- Heavy duty unitized powertrain

## SPECIFICATIONS

	CAPÉ EXPRESS DELUXE	CAPÉ EXPRESS	TURF 1 with PRC unit	TURF 2 with PRC unit
ENGINE	Kawasaki® 4-cycle, OHV, 400 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter	Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter	Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter*	Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter*
HORSEPOWER	13 hp (9.7 kw) @ 3,600 rpm**	11.5 hp (8.4 kw) @ 3,600 rpm**	11.5 hp (8.4 kw) @ 3,600 rpm**	11.5 hp (8.4 kw) @ 3,600 rpm**
GOVERNOR	Automatic ground-speed sensing, internally geared-in unitized transaxle	Automatic ground-speed sensing, internally geared-in unitized transaxle	Automatic ground-speed sensing, internally geared-in unitized transaxle	Automatic ground-speed sensing, internally geared-in unitized transaxle
GOVERNED RPM	2,800 ± 30	3,050 ± 30	3,050 ± 30	3,170 ± 30
IGNITION	Electronic with electronic RPM limiter	Electronic with electronic RPM limiter	Electronic with electronic RPM limiter	Electronic with electronic RPM limiter
DRIVE UNIT	Unitized transaxle, fully synchronized forward/reverse with neutral; 14.9:1 forward, 20.5:1 reverse; reduced speed reverse	Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse	Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse	Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse
BATTERIES	12-volt	12-volt	12-volt	12-volt
KEY-OR PEDAL START	Key	Key	Pedal	Pedal
STEERING	Self-adjusting rack & pinion	Self-adjusting rack & pinion	Self-adjusting rack & pinion	Self-adjusting rack & pinion
FRONT SUSPENSION	Independent A-arms with coil-over shocks	Independent leaf springs with dual hydraulic shocks	Independent leaf springs with dual hydraulic shocks	Independent leaf springs with dual hydraulic shocks
REAR SUSPENSION	Multi-leaf springs with dual hydraulic shocks	Multi-leaf springs with dual hydraulic shocks	Multi-leaf springs with dual hydraulic shocks	Multi-leaf springs with dual hydraulic shocks
BRAKES	4-wheel, hydraulic	4-wheel, mechanical drum	Self-adjusting, rear-wheel, mechanical drum	4-wheel, mechanical drum
PARK BRAKE	Hand-operated, mechanical rear	Foot-operated, multi-lock	Foot-operated, multi-lock	Foot-operated, multi-lock
FRAME/CHASSIS	Aluminum I-Beam	Aluminum I-Beam	Aluminum I-Beam	Aluminum I-Beam
BODY (FRONT/REAR)	ABS/DR acrylic cap/All aluminum	ArmorFlex™ TPO/All aluminum	ArmorFlex TPO/All aluminum	ArmorFlex TPO/All aluminum
LIGHT PACKAGE	Standard	Optional	Optional	Headlights standard
TRAILER HITCH	Standard (front receiver)	Standard	Standard	Standard
FRONT TIRES	205/65-10, 6-ply	18 x 8.5-8, 6-ply rated, premium tread	18 x 8.5-8, 4-ply rated, premium tread	18 x 8.5-8, 6-ply rated, premium tread
REAR TIRES	205/65-10, 6-ply	18 x 8.5-8, 4-ply rated, premium tread	18 x 8.5-8, 4-ply rated, premium tread	18 x 8.5-8, 6-ply rated, extra-traction tread
INSTRUMENTATION	Electronic fuel gauge/hour meter, low-oil warning light	Electronic fuel gauge/hour meter, low-oil warning light, reverse warning indicator	Electronic fuel gauge/hour meter, low-oil warning light	Electronic fuel gauge/hour meter, low-oil warning light
BED LOAD SIZE (CARGO BED INSIDE DIMENSIONS)	N/A	N/A	37.6 x 45.1 x 9.3 in (9.1 ft) (95.5 x 114.6 x 23.6 cm)	48.8 x 49.8 x 10.9 in (15.3 ft) (124 x 126.5 x 27.7 cm)
BED LOAD HEIGHT	N/A	N/A	27.5 in (69.9 cm)	27.5 in (69.9 cm)
TOTAL VEHICLE CAPACITY	1,300 lb (589.7 kg)	1,200 lb (544.3 kg)	800 lb (362.9 kg)	1,200 lb (544.3 kg)
OVERALL LSWHT	144 x 54 x 72 in (365.8 x 137.2 x 182.9 cm)	111 x 50 x 72 in (281.9 x 127 x 182.9 cm)	103.5 x 48 x 48 in (262.9 x 121.9 x 121.9 cm)	111 x 50 x 48 in (281.9 x 127 x 121.9 cm)
WHEELBASE	101 in (256.5 cm)	77.5 in (196.9 cm)	65.5 in (166.4 cm)	77.5 in (196.9 cm)
DIFFERENTIAL GROUND CLEARANCE	4.6 in (116.8 cm)	4.5 in (114.3 cm)	4.5 in (114.3 cm)	4.5 in (114.3 cm)
FUEL TANK CAPACITY	6.4 gallons (24.2 L)	5.1 gallons (19.2 L)	5.1 gallons (19.2 L)	5.1 gallons (19.2 L)
TREAD (FRONT/REAR)	43 in (109.2 cm)/44.5 in (113 cm)	34.5 in (87.6 cm)/38.5 in (97.8 cm)	34.5 in (87.6 cm)/38.5 in (97.8 cm)	34.5 in (87.6 cm)/38.5 in (97.8 cm)
DRY WEIGHT (LESS BATTERIES)	1,474 lb (668.6 kg)	1,134 lb (514.4 kg)	658 lb (298.5 kg)	724 lb (328.7 kg)
FORWARD SPEED	Up to 12 mph (19.3 kph)	Up to 14 mph (22.5 kph)	Up to 15 mph (24.1 kph)	Up to 16 mph (25.7 kph)
CURB CLEARANCE	380 in (965.2 cm) dia.	296 in (751.8 cm) dia.	210 in (533.4 cm) dia.	248.4 in (630.9 cm) dia.
TURNING RADIUS	186 in (472.4 cm)	120 in (304.8 cm)	100 in (256 cm)	120 in (304.8 cm)
INTERSECTING AISLE	120 in (304.8 cm)	72 in (182.9 cm)	72 in (182.9 cm)	72 in (182.9 cm)
VEHICLE WARRANTY	2-year, limited	2-year, limited	2-year, limited	2-year, limited

\* Portable Refreshment Center unit not recommended for use with Turf 1 and Turf 2 electric models.

\*\* Exceeds SAE J1940 performance standards.

† There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, Inc. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles, and are not equipped for operation on public streets, roads or highways.



Ingersoll Rand is a global diversified firm providing products, services and solutions to enhance the quality and comfort of air in homes and buildings, transport and protect food and perishables, secure homes and commercial properties, and increase industrial productivity and efficiency. Driven by a 100-year-old tradition of technological innovation, we enable our customers to create progress and a positive impact in their world.

Please note vehicles contained throughout the brochure may be shown with additional accessories.

1.800.CLUBCAR • +1 706.863.3000

[www.clubcar.com](http://www.clubcar.com)

[www.ingersollrand.com](http://www.ingersollrand.com)

01/10 58642992